


MaxPab®

WDR79 MaxPab mouse polyclonal antibody (B01)

Catalog # H00055135-B01

Size 50 uL

Applications



Western Blot (Transfected lysate)

Western Blot analysis of WDR79 expression in transfected 293T cell line ([H00055135-T01](#)) by WDR79 MaxPab polyclonal antibody.

Lane 1: WDR79 transfected lysate(60.28 kDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human WDR79 protein.
Immunogen	WDR79 (AAH02336.1, 1 a.a. ~ 548 a.a) full-length human protein.
Sequence	MKTLETQPLAPDCCPSDQDPAPAHPSPHASPMNKNADSELMPPPPERGDPPRLSPDPVAGSA VSQELREGDPVSLSTPLETEFGSPSELSPRIEEQELSENTSLPAEEANGSLSEEEANGPELGSG KAMEDTSGEPAAEDEGDTAWNYSFSQLPRFLSGSWSEFSTQPENFLKGCKWAPDGCILTNSA DNILRYNLPPELYHEGEQVEYAEMVPVLRMVEGDTYDYCWYSLMSSAQPDTSYVASSSRENPIHI WDAFTGELRASFRAYNHLDELTAHSLCFSPDGSQFLFCGFNRTVRVFSTARPGRDCEVRATFAK KQQQSGIISCIASFPAQPLYACGSYGRSLGLYAWDDGSPLALLGGHQGGITHLCFHPDGNRFFSG ARKDAELLCWDLRQSGYPLWSLGREVTTNQRIYFDLDPTGQFLVSGSTSGAVSVWDTDGPGND GKPEPVLFLPQKDC TNGVSLHPSLPLLATASGQRFVFPEPTESGDEGEELGLPLLSTRHVHLEC RLQLWWCGGAPDSSIPDDHQGEKGQGGTEGGVGELI
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (78); Rat (78)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	For IHC and IF applications, antibody purification with Protein A will be needed prior to use.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of WDR79 expression in transfected 293T cell line ([H00055135-T01](#)) by WDR79 MaxPab polyclonal antibody.

Lane 1: WDR79 transfected lysate(60.28 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — WDR79

Entrez GeneID	55135
GeneBank Accession#	BC002336.2
Protein Accession#	AAH02336.1
Gene Name	WDR79
Gene Alias	FLJ10385, WRAP53
Gene Description	WD repeat domain 79
Gene Ontology	Hyperlink
Other Designations	WD40 protein Wrap53

Publication Reference

- [Correction: WRAP53 Is Essential for Cajal Body Formation and for Targeting the Survival of Motor Neuron Complex to Cajal Bodies.](#)

Mahmoudi S, Henriksson S, Weibrecht I, Smith S, Söderberg O, Strömblad S, Wiman KG, Farnebo M.

PLoS Biology 2018 Sep; 16(9):e3000030.

Application: IF, IP, PLA, WB, Human, U-2 OS cells

Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Lung Neoplasms](#)
- [Mouth Neoplasms](#)
- [Pharyngeal Neoplasms](#)
- [Pulmonary Disease](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)