

DNAxPAb

Hard-to-Find
Antibody

FBXW7 DNAxPab

Catalog # H00055294-W01P

Size 200 ug

Specification

Product Description Rabbit polyclonal antibody raised against a full-length human FBXW7 DNA using DNAx™ Immune technology.

Technology [DNAx™ Immune](#)

Immunogen Full-length human DNA

Sequence MCVPRSGLILSCICLYCGVLLPVLLPNLPFLTCLSMSTLESVTYLPEKGLYCQRLPSSRTHGGTESLKGKNTENMGFYGTLMIFYKMKRKLDHGSEVRSFSLGKKPCKVSEYTSTTGLVPCSATPTTFGDLRAANGQQGQRRRITSVQPPTGLQEWLKMFQSWSGPEKLLALDELIDSEPTQVKHMMQVIEPQFQRDFISLLPKELALYLSFLEPKDLLQAAQTCRYWRILAEDNLLWREKCKEEGIDEPLHIKRRKVIKPGFIHSPWKSAIRQHRIDTNWRRGELKSPKVLKGHDDHVITCLQFCGNRIVSGSDDNTLKVWSAVTGKCLRTLVGHTGGVWSSQMRDNIISGSTDRTLKVWNAETGECIHTLYGHTSTVRCMHLHEKRVVSGSRDATLRVWDIETGQCLHVLGMHVAAVRCVQYDGRRVVSGAYDFMVKVWDPETETCLHTLQGHTNRVYSLQFDGIHVVSGLDTSIRVWDVETGNCIHTLTGHQSLTSGMELKDNILVSGNADSTVKIWDIKTGQCLQTLQGPKNHQSAVTCLQFNKNFVITSSDDGTVKLWDLKTGEFIRNLVTLESGGSGGVVWRIRASNTKLVCVAVGSRNGTEETKLLVLDVDFVDMK

Host Rabbit

Reactivity Human

Purification Protein A

Quality Control Testing Antibody reactive against mammalian transfected lysate.

Storage Buffer In 1x PBS, pH 7.4

Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- Immunofluorescence (Transfected cell)

- Flow Cytometry (Transfected cell)

Gene Info — FBXW7

Entrez GeneID [55294](#)

GeneBank Accession# [NM_018315.3](#)

Protein Accession# [NP_060785.2](#)

Gene Name FBXW7

Gene Alias AGO, CDC4, DKFZp686F23254, FBW6, FBW7, FBX30, FBXO30, FBXW6, FLJ16457, SEL-10, SEL10

Gene Description F-box and WD repeat domain containing 7

Omim ID [606278](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats. This protein binds directly to cyclin E and probably targets cyclin E for ubiquitin-mediated degradation. Mutations in this gene are detected in ovarian and breast cancer cell lines, implicating the gene's potential role in the pathogenesis of human cancers. Three transcript variants encoding three different isoforms have been found for this gene. [provided by RefSeq]

Other Designations F-box and WD-40 domain protein 7 (archipelago homolog, Drosophila)|F-box protein FBW7|F-box protein SEL-10|archipelago homolog|archipelago, Drosophila, homolog of|homolog of C elegans sel-10

Pathway

- [Ubiquitin mediated proteolysis](#)

Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Disease Progression](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Neoplasms](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precursor T-Cell Lymphoblastic Leukemia-Lymphoma](#)
- [Pulmonary Disease](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)
- [Wilms Tumor](#)