


DDEFL1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00055616-T01


Size 100 uL

Applications



SDS-PAGE Gel

DDEFL1 transfected lysate.



Western Blot

Lane 1: DDEFL1 transfected lysate (99.2 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-DDEFL1 full-length
Host	Human
Theoretical MW (kDa)	99.2
Interspecies Antigen Sequence	Mouse (81)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-DDEFL1 antibody ([H00055616-B01](#)) by Western Blots.
SDS-PAGE Gel
DDEFL1 transfected lysate.
Western Blot
Lane 1: DDEFL1 transfected lysate (99.2 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — ASAP3

Entrez GeneID

[55616](#)

GeneBank Accession#

[NM_017707](#)

Protein Accession#

[NP_060177](#)

Gene Name

ASAP3

Gene Alias

ACAP4, CENTB6, DDEFL1, FLJ20199, UPLC1

Gene Description

ArfGAP with SH3 domain, ankyrin repeat and PH domain 3

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a member of a subfamily of ADP-ribosylation factor(Arf) GTPase-activating proteins that contain additional ankyrin repeat and pleckstrin homology domains. The Arf GAP domain of this protein catalyzes the hydrolysis of GTP bound to Arf proteins. The encoded protein promotes cell differentiation and migration and has been implicated in cancer cell invasion. Alternative splicing results in multiple transcript variants. [provided by RefSeq]

Other Designations

ARF6 GTPase-activating protein|ArfGAP with SH3 domain, ankyrin repeat and PH domain 3 1|OTTHUMP00000003268|centaurin, beta 6|development and differentiation enhancing factor-like 1|up-regulated in liver cancer 1 (UPLC1)

Pathway

- [Endocytosis](#)
- [Fc gamma R-mediated phagocytosis](#)