


MaxPab®

MREG MaxPab rabbit polyclonal antibody (D01)

Catalog # H00055686-D01


Size 100 uL

Applications




Western Blot (Tissue lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in mouse spleen.




Western Blot (Cell lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in MCF-7.



Western Blot (Cell lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in HepG2.




Western Blot (Transfected lysate)

Western Blot analysis of MREG expression in transfected 293T cell line ([H00055686-T01](#)) by MREG MaxPab polyclonal antibody.

Lane 1: MREG transfected lysate(25 KDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of MREG transfected lysate using anti-MREG MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with MREG purified MaxPab mouse polyclonal antibody (B01P) ([H00055686-B01P](#)).

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human MREG protein.
Immunogen	MREG (AAH82990.1, 1 a.a. ~ 214 a.a) full-length human protein.
Sequence	MGLRDWLRTVCCCCRCECLEERALPEKEPLVSDNNPYSSFGATLVRDDEKNLWSMPHDVSHT EADDDRTLYNLVIRNQQAKDSEEWQKLNIDHTLRQVRREVRNRWKCILEDLGFKQKEADSLLSVT KLSTISDSKNTRKAREMLLKLAEEETNIFPTSWELSERYLFVVDRLIALDAAEEFFKLARRTYPKKPG VPCLADGQKELHYLPFPSP
Host	Rabbit
Reactivity	Human, Mouse
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

● Western Blot (Tissue lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in mouse spleen.

[Protocol Download](#)

● Western Blot (Cell lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in MCF-7.

[Protocol Download](#)

- Western Blot (Cell lysate)

MREG MaxPab rabbit polyclonal antibody. Western Blot analysis of MREG expression in HepG2.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of MREG expression in transfected 293T cell line ([H00055686-T01](#)) by MREG MaxPab polyclonal antibody.

Lane 1: MREG transfected lysate(25 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of MREG transfected lysate using anti-MREG MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with MREG purified MaxPab mouse polyclonal antibody (B01P) ([H00055686-B01P](#)).

[Protocol Download](#)

Gene Info — MREG

Entrez GeneID [55686](#)

GeneBank Accession# [BC082990.1](#)

Protein Accession# [AAH82990.1](#)

Gene Name MREG

Gene Alias DSU, FLJ10116, MGC90296, WDT2

Gene Description melanoregulin

Omim ID [609207](#)

Gene Ontology [Hyperlink](#)

Other Designations dilute suppressor|whn-dependent transcript 2

Disease

- [Genetic Predisposition to Disease](#)

- [Pulmonary Disease](#)