


IL26 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00055801-T02


Size 100 uL

Applications



SDS-PAGE Gel

IL26 transfected lysate.



Western Blot

Lane 1: IL26 transfected lysate (19.80 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-IL26 full-length

Host Human

Theoretical MW (kDa) 19.8

Quality Control Testing Transient overexpression cell lysate was tested with Anti-IL26 antibody ([PAB3970-D01P](#)) by Western Blots.
SDS-PAGE Gel
IL26 transfected lysate.
Western Blot
Lane 1: IL26 transfected lysate (19.80 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — IL26

Entrez GeneID	55801
GeneBank Accession#	NM_018402
Protein Accession#	NP_060872.1
Gene Name	IL26
Gene Alias	AK155, IL-26
Gene Description	interleukin 26
Omim ID	605679
Gene Ontology	Hyperlink
Gene Summary	This gene was identified by its overexpression specifically in herpesvirus samimiri-transformed T cells. The encoded protein is a member of the IL10 family of cytokines. It is a secreted protein and may function as a homodimer. This protein is thought to contribute to the transformed phenotype of T cells after infection by herpesvirus samimiri. [provided by RefSeq]
Other Designations	-

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Asthma](#)
- [Bronchiolitis](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Genetic Predisposition to Disease](#)
- [Infant](#)
- [Inflammatory Bowel Diseases](#)
- [Multiple Sclerosis](#)
- [Respiratory Syncytial Virus Infections](#)
- [Tobacco Use Disorder](#)