


CENTA2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00055803-T01


Size 100 uL

Applications



SDS-PAGE Gel

CENTA2 transfected lysate



Western Blot

Lane 1: CENTA2 transfected lysate (41.91 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-CENTA2 full-length
Host	Human
Theoretical MW (kDa)	41.91
Interspecies Antigen Sequence	Mouse (85); Rat (84)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-CENTA2 antibody ([H00055803-B01](#)) by Western Blots.
SDS-PAGE Gel
CENTA2 transfected lysate
Western Blot
Lane 1: CENTA2 transfected lysate (41.91 KDa).
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — ADAP2

Entrez GeneID[55803](#)**GeneBank Accession#**[BC033758](#)**Protein Accession#**[AAH33758](#)**Gene Name**

ADAP2

Gene Alias

CENTA2, HSA272195, cent-b

Gene Description

ArfGAP with dual PH domains 2

Omim ID[608635](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

alpha 2|centaurin-alpha 2 protein

Other Designations

centaurin beta|centaurin, alpha 2|centaurin-alpha 2 protein

Disease

- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)

- [Growth Disorders](#)
- [Learning Disorders](#)
- [Syndrome](#)
- [Tobacco Use Disorder](#)