


NKRF 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00055922-T01


Size 100 uL

Applications



SDS-PAGE Gel

NKRF transfected lysate.



Western Blot

Lane 1: NKRF transfected lysate (77.7 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-NKRF full-length

Host Human

Theoretical MW (kDa) 77.7

Quality Control Testing Transient overexpression cell lysate was tested with Anti-NKRF antibody ([H00055922-B01](#)) by Western Blots.
SDS-PAGE Gel
NKRF transfected lysate.
Western Blot
Lane 1: NKRF transfected lysate (77.7 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — NKRF

Entrez GeneID[55922](#)**GeneBank Accession#**[BC068514.1](#)**Protein Accession#**[-](#)**Gene Name**

NKRF

Gene Alias

ITBA4, NRF

Gene Description

NFkB repressing factor

Omim ID[300440](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a transcription factor that interacts with specific negative regulatory elements (NREs) to mediate transcriptional repression of certain NK-kappa-B-responsive genes. The protein localizes predominantly to the nucleolus with a small fraction found in the nucleoplasm and cytoplasm. [provided by RefSeq]

Other Designations

ITBA4|NF-kappa B repressing factor|NF-kappa B-repressing factor|NF-kappaB repressing factor|OTTHUMP00000023906|OTTHUMP00000023907|transcription factor NRF