


C19orf10 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00056005-T01


Size 100 uL

Applications



SDS-PAGE Gel

C19orf10 transfected lysate.



Western Blot

Lane 1: C19orf10 transfected lysate (18.8 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-C19orf10 full-length
Host	Human
Theoretical MW (kDa)	18.8
Interspecies Antigen Sequence	Mouse (83); Rat (78)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-C19orf10 antibody ([H00056005-B01](#)) by Western Blots.
SDS-PAGE Gel
C19orf10 transfected lysate.
Western Blot
Lane 1: C19orf10 transfected lysate (18.8 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — C19orf10

Entrez GeneID[56005](#)**GeneBank Accession#**[NM_019107.3](#)**Protein Accession#**[NP_061980.1](#)**Gene Name**

C19orf10

Gene Alias

EUROIMAGE1875335, IL25, IL27, IL27w, R33729_1, SF20

Gene Description

chromosome 19 open reading frame 10

Omim ID[606746](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene was previously thought to support proliferation of lymphoid cells and was considered an interleukin. However, this activity has not been reproducible and the function of this protein is currently unknown. [provided by RefSeq]

Other Designations

hypothetical protein LOC56005|interleukin 25|interleukin 27 working designation|stromal cell-derived growth factor

Disease

- [Genetic Predisposition to Disease](#)
- [Inflammatory Bowel Diseases](#)