


Full-Length

PCDHGC4 (Human) Recombinant Protein (P01)

Catalog # H00056098-P01

Size 25 ug, 10 ug

Applications



Specification

Product Description

Human PCDHGC4 full-length ORF (NP_115782.1, 1 a.a. - 871 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence

MLRKVRSWTEMRWATLLFLFYHLGYVCGQIRYPVPEESQEGTFVGNVAQDFLLDSDLSARRLQ
VAGEVNQRHFRVDLDGALLIKNPIDREALCGLSASCIVPLEFVTEGPLEMYRAEVEIDVNDHAP
RFPRQQLDLEIGEAAAPPGQRFPLEKAQDADVGSNSISSYRLSSNEHFALDVKKRSDGSLVPELLL
EKPLDREKQSDYRLVLTAVDGGNPPRSGTAELRVSVLDVNDNAPAFQSSYRISVLESAPAGMV
LIQLNASDPDLGPSGNVTFYFSGHTPDVRNLFSLHPTTGKLTLLGPLDFESENYYEFDVRARDG
GSPAMEQHCSLRVDLLDVNDNAPYITVTSELGTLPESEAEPGTVALISVQDPDGSNGDVSLRIP
DHLPFALKSAFRNQFSLVTAGPLDREAKSSYDIMVTASDAGNPPLSTHRTIFLNISDVNDNPPSFF
QRSHEVFVPENNRPGDLLCSLAASDPDPSGLNALISYSLLEPRNRDVSASSFISLNPQTGAVHATR
SFDYEQTQTLQFEVQARDRGNPPLSSTVTVRLFVLDLNDNAPAVLRPRARPGSLCPQALPPSVG
AGHLITKVTAVDLDGYNWVSYQLLEAPDPSLFAVSRVAGEVRTAVPIADLPPQKLVMVKDSG
SPPLSTSVTLLVSLEEDTHPVVPDLRESSAPREGESRLTYLAVSLVAICFVSFGSFVALLSKCLR
GAACGVTCFPAGTCACLTRSRREGLPPSNGILRIQLGSDDPKFVDVGGHSHGCTPLASAPTRS
DSFMMVKSPSAPMAGEPVRPSCPPSDLLYGLEVRPLQAQQMLEGYSDPGMWLGHVLESTGLSV
SAHSDVTIFVRGNVYVDAVLCNCFVN

Host

Wheat Germ (in vitro)

Theoretical MW (kDa)

120.9

Interspecies Antigen Sequence

Mouse (96)

Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — PCDHGC4

Entrez GeneID	56098
GeneBank Accession#	NM_032406.1
Protein Accession#	NP_115782.1
Gene Name	PCDHGC4
Gene Alias	MGC119489, MGC24978, PCDH-GAMMA-C4
Gene Description	protocadherin gamma subfamily C, 4
Omim ID	606305
Gene Ontology	Hyperlink

Gene Summary

This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq]

Other Designations

OTTHUMP00000160025