


RNF20 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00056254-T02


Size 100 uL

Applications



SDS-PAGE Gel

RNF20 transfected lysate.



Western Blot

Lane 1: RNF20 transfected lysate (113.7 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-RNF20 full-length
Host	Human
Theoretical MW (kDa)	113.7
Interspecies Antigen Sequence	Mouse (97); Rat (97)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-RNF20 antibody ([H00056254-B01P](#)) by Western Blots.
SDS-PAGE Gel
RNF20 transfected lysate.
Western Blot
Lane 1: RNF20 transfected lysate (113.7 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RNF20

Entrez GeneID[56254](#)**GeneBank Accession#**[NM_019592.5](#)**Protein Accession#**[NP_062538.5](#)**Gene Name**

RNF20

Gene Alias

BRE1, BRE1A, FLJ11189, FLJ20382, KIAA2779, MGC129667, MGC129668, hBRE1

Gene Description

ring finger protein 20

Omim ID[607699](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene shares similarity with BRE1 of *S. cerevisiae*. Yeast BRE1 is a ubiquitin ligase required for the ubiquitination of histone H2B and the methylation of histone H3. [provided by RefSeq]

Other DesignationsBRE1 E3 ubiquitin ligase homolog|homolog of *S. cerevisiae* BRE1