


EXOSC5 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00056915-T01


Size 100 uL

Applications



SDS-PAGE Gel

EXOSC5 transfected lysate.



Western Blot

Lane 1: EXOSC5 transfected lysate (25.96 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-EXOSC5 full-length
Host	Human
Theoretical MW (kDa)	25.96
Interspecies Antigen Sequence	Mouse (89); Rat (89)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-EXOSC5 antibody ([H00056915-B01](#)) by Western Blots.
SDS-PAGE Gel
EXOSC5 transfected lysate.
Western Blot
Lane 1: EXOSC5 transfected lysate (25.96 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — EXOSC5

Entrez GeneID[56915](#)**GeneBank Accession#**[BC007742.2](#)**Protein Accession#**[AAH07742.1](#)**Gene Name**

EXOSC5

Gene Alias

MGC111224, MGC12901, RRP41B, RRP46, Rrp46p, hRrp46p, p12B

Gene Description

exosome component 5

Omim ID[606492](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

exosome component Rrp46

Pathway

- [RNA degradation](#)

Disease

- [Disease Progression](#)
- [Disease Susceptibility](#)
- [HIV Infections](#)