


TNFSF5IP1 293T Cell Transient Overexpression Lysate(Denatured)


Catalog # H00056984-T01 Size 100 uL

Applications



SDS-PAGE Gel

PSMG2 transfected lysate.



Western Blot

Lane 1: PSMG2 transfected lysate (29.4 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-TNFSF5IP1 full-length
Host	Human
Theoretical MW (kDa)	29.4
Interspecies Antigen Sequence	Mouse (87); Rat (85)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-TNFSF5IP1 antibody ([H00056984-B01](#)) by Western Blots.
SDS-PAGE Gel
PSMG2 transfected lysate.
Western Blot
Lane 1: PSMG2 transfected lysate (29.4 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — PSMG2

Entrez GeneID

[56984](#)

GeneBank Accession#

[NM_020232](#)

Protein Accession#

[NP_064617](#)

Gene Name

PSMG2

Gene Alias

CLAST3, HCCA3, HsT1707, MDS003, MGC15092, PAC2, TNFSF5IP1

Gene Description

proteasome (prosome, macropain) assembly chaperone 2

Omim ID

[609702](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

O

Other Designations

CD40 ligand-activated specific transcript 3|HDCMC29P|HSPC260|hepatocellular carcinoma susceptibility protein|likely ortholog of mouse CD40 ligand-activated specific transcript 3 (Clast3)|proteasome assembling chaperone 2|tumor necrosis factor superfamily,

Disease

- [Genetic Predisposition to Disease](#)

- [Lupus Erythematosus](#)