


SPBC25 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00057405-T01


Size 100 uL

Applications



SDS-PAGE Gel

SPC25 transfected lysate.



Western Blot

Lane 1: SPC25 transfected lysate (26.2 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-SPBC25 full-length
Host	Human
Theoretical MW (kDa)	26.2
Interspecies Antigen Sequence	Mouse (73); Rat (78)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-SPBC25 antibody ([H00057405-B01](#)) by Western Blots.
SDS-PAGE Gel
SPC25 transfected lysate.
Western Blot
Lane 1: SPC25 transfected lysate (26.2 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SPC25

Entrez GeneID[57405](#)**GeneBank Accession#**[NM_020675](#)**Protein Accession#**[NP_065726.1](#)**Gene Name**

SPC25

Gene Alias

AD024, MGC22228, SPBC25

Gene Description

SPC25, NDC80 kinetochore complex component, homolog (S. cerevisiae)

Omim ID[609395](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a protein that may be involved in kinetochore-microtubule interaction and spindle checkpoint activity. [provided by RefSeq]

Other Designations

2600017H08Rik|kinetochore protein Spc25|spindle pole body component 25|spindle pole body component 25 homolog