


SFRS15 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00057466-T01


Size 100 uL

Applications



SDS-PAGE Gel

SFRS15 transfected lysate.



Western Blot

Lane 1: SFRS15 transfected lysate (125.9 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-SFRS15 full-length
Host	Human
Theoretical MW (kDa)	125.9
Interspecies Antigen Sequence	Mouse (77); Rat (74)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-SFRS15 antibody ([H00057466-B01](#)) by Western Blots.
SDS-PAGE Gel
SFRS15 transfected lysate.
Western Blot
Lane 1: SFRS15 transfected lysate (125.9 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SFRS15

Entrez GeneID

[57466](#)

GeneBank Accession#

[NM_020706](#)

Protein Accession#

[NP_065757](#)

Gene Name

SFRS15

Gene Alias

DKFZp434E098, FLJ23364, KIAA1172, SCAF4, SRA4

Gene Description

splicing factor, arginine/serine-rich 15

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene likely encodes a member of the arginine/serine-rich splicing factor family. A similar protein in Rat appears to bind the large subunit of RNA polymerase II and provide a link between transcription and pre-mRNA splicing. Alternatively spliced transcript variants have been described. [provided by RefSeq]

Other Designations

SR-like CTD-associated factor 4|pre-mRNA splicing SR protein rA4

Disease

- [Albuminuria](#)

- [Birth Weight](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Disease Progression](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Leukemia](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)