

FANCM rabbit monoclonal antibody

Catalog # H00057697-K Size 100 ug x up to 3

Product Description Rabbit monoclonal antibody raised against a human FANCM peptide using ARM Technology. Immunogen A synthetic peptide of human FANCM is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. Host Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.		
Immunogen A synthetic peptide of human FANCM is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. Host Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Specification	
Customer or Abnova will decide on the preferred peptide sequence. Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Product Description	Rabbit monoclonal antibody raised against a human FANCM peptide using ARM Technology.
Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Immunogen	
Expression Overexpression vector and transfection into 293H cell line. Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Host	Rabbit
Reactivity Human Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Purification Protein A Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Expression	Overexpression vector and transfection into 293H cell line.
Isotype IgG Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by W estern Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Reactivity	Human
Quality Control Testing Antibody reactive against human FANCM peptide by ELISA and mammalian transfected lysate by Western Blot. Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit lgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Purification	Protein A
Storage Buffer In 1x PBS, pH 7.4 Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Isotype	lgG
Storage Instruction Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Quality Control Testing	
Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Storage Buffer	In 1x PBS, pH 7.4
Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in	Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
	Note	2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — FANCM	
Entrez GenelD	<u>57697</u>
GeneBank Accession#	<u>FANCM</u>
Gene Name	FANCM
Gene Alias	FAAP250, KIAA1596, MGC176453
Gene Description	Fanconi anemia, complementation group M
Omim ID	609644
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANC C, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCJ (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FA NCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased ch romosomal breakage, and defective DNA repair. The members of the Fanconi anemia complem entation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes the protein for complementation group M. [provided by RefSeq
Other Designations -	

Disease

- Adenocarcinoma
- Breast cancer
- Breast Neoplasms
- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Fanconi Anemia
- Genetic Predisposition to Disease



- Ovarian cancer
- Pancreatic Neoplasms