

HAMP rabbit monoclonal antibody

Catalog # H00057817-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human HAMP peptide using ARM Technology.
Immunogen	A synthetic peptide of human HAMP is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human HAMP peptide by ELISA and mammalian transfected lysate by We stern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — HAMP	
Entrez GenelD	<u>57817</u>
GeneBank Accession#	<u>HAMP</u>
Gene Name	HAMP
Gene Alias	HEPC, HEPCIDIN, HFE2B, LEAP-1, LEAP1, PLTR
Gene Description	hepcidin antimicrobial peptide
Omim ID	<u>602390</u> <u>606464</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The product encoded by this gene is involved in the maintenance of iron homeostasis, and it is ne cessary for the regulation of iron storage in macrophages, and for intestinal iron absorption. The p reproprotein is post-translationally cleaved into mature peptides of 20, 22 and 25 amino acids, an d these active peptides are rich in cysteines, which form intramolecular bonds that stabilize their b eta-sheet structures. These peptides exhibit antimicrobial activity. Mutations in this gene cause he mochromatosis type 2B, also known as juvenile hemochromatosis, a disease caused by severe ir on overload that results in cardiomyopathy, cirrhosis, and endocrine failure. [provided by RefSeq
Other Designations	liver-expressed antimicrobial peptide putative liver tumor regressor

Disease

- Abortion
- beta-Thalassemia
- Birth Weight
- Genetic Predisposition to Disease
- Hemochromatosis
- Hereditary hemochromatosis
- Iron Metabolism Disorders
- Iron Overload



Pregnancy Complications