


JAM2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00058494-T02 Size 100 uL

Applications



SDS-PAGE Gel

JAM2 transfected lysate.

Western Blot

Lane 1: JAM2 transfected lysate (33.20 KDa) Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-JAM2 full-length
Host	Human
Theoretical MW (kDa)	33.2
Interspecies Antigen Sequence	Mouse (79); Rat (80)



Product Information

Quality Control Testing	Transient overexpression cell lysate was tested with Anti-JAM2 antibody (H00058494-D01P) by We				
	stern Blots. SDS-PAGE Gel JAM2 transfected lysate. Western Blot				
			Lane 1: JAM2 transfected lysate (33.20 KDa)		
			Lane 2: Non-transfected lysate.		
		Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)		
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.				

Applications

• Western Blot

Gene Info — JAM2

Entrez GenelD	<u>58494</u>
GeneBank Accession#	<u>NM_021219.2</u>
Protein Accession#	<u>NP_067042.1</u>
Gene Name	JAM2
Gene Alias	C21orf43, CD322, JAM-B, JAMB, PRO245, VE-JAM, VEJAM
Gene Description	junctional adhesion molecule 2
Omim ID	<u>606870</u>
Gene Ontology	Hyperlink
Gene Summary	Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, f orming continuous seals around cells and serving as a physical barrier to prevent solutes and wat er from passing freely through the paracellular space. The protein encoded by this immunoglobuli n superfamily gene member is localized in the tight junctions between high endothelial cells. It acts as an adhesive ligand for interacting with a variety of immune cell types and may play a role in lym phocyte homing to secondary lymphoid organs. [provided by RefSeq
Other Designations	JAM-IT/VE-JAM OTTHUMP00000096100 junctional adhesion molecule B vascular endothelial jun ction-associated molecule



Pathway

- Cell adhesion molecules (CAMs)
- Epithelial cell signaling in Helicobacter pylori infection
- Leukocyte transendothelial migration
- Tight junction