

# TGIF2 monoclonal antibody (M05), clone 6B10

Catalog # H00060436-M05 Size 100 ug

### Applications

1.8 1.6 1.4 1.2

0.6 0.4 0.2 0

0.01

Re

0.1

10 100

Concentration (ng/ml)

1

1000



#### Western Blot (Cell lysate)

TGIF2 monoclonal antibody (M05), clone 6B10 Western Blot analysis of TGIF2 expression in IMR-32 ( Cat # L008V1 ).

#### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged TGIF2 is approximately 1ng/ml as a capture antibody.



Western Blot detection against Immunogen (37.4 KDa).

#### Specification

**Product Description** 

Mouse monoclonal antibody raised against a partial recombinant TGIF2.

😭 Abnova	Product Information
Immunogen	TGIF2 (NP_068581, 131 a.a. ~ 236 a.a) partial recombinant protein with GST tag. MW of the GST ta g alone is 26 KDa.
Sequence	SMPLHSGQGEKPAAPFPRGELESPKPLVTPGSTLTLLTRAEAGSPTGGLFNTPPPTPPEQDKED FSSFQLLVEVALQRAAEMELQKQQDPSLPLLHTPIPLVSENP
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (94); Rat (95)
lsotype	lgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.4 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot (Cell lysate)
  TGIF2 monoclonal antibody (M05), clone 6B10 Western Blot analysis of TGIF2 expression in IMR-32 (Cat # L008V1).
  <u>Protocol Download</u>
- Western Blot (Recombinant protein)

Protocol Download

- Sandwich ELISA (Recombinant protein)
  Detection limit for recombinant GST tagged TGIF2 is approximately 1ng/ml as a capture antibody.
  <u>Protocol Download</u>
- ELISA

Gene Info — TGIF2	
Entrez GenelD	<u>60436</u>

# 🖗 Abnova

# **Product Information**

GeneBank Accession#	<u>NM_021809</u>
Protein Accession#	<u>NP_068581</u>
Gene Name	TGIF2
Gene Alias	-
Gene Description	TGFB-induced factor homeobox 2
Omim ID	<u>607294</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a DNA-binding homeobox protein and a transcriptional repre ssor. The encoded protein appears to repress transcription by recruiting histone deacetylases to TGF beta-responsive genes. This gene is amplified and overexpressed in some ovarian cancers, and mutations in this gene can cause holoprosencephaly. [provided by RefSeq
Other Designations	5'-TG-3' interacting factor 2 OTTHUMP00000030848 OTTHUMP00000030849 TGF(beta)-induce d transcription factor 2 TGFB-induced factor 2 (TALE family homeobox) homeobox protein TGIF2  transcription growth factor-beta-induced factor 2