


MaxPab®

IKZF4 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00064375-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of IKZF4 expression in transfected 293T cell line ([H00064375-T02](#)) by IKZF4 MaxPab polyclonal antibody.

Lane 1: IKZF4 transfected lysate(59.70 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human IKZF4 protein.
Immunogen	IKZF4 (ENSP00000262032, 1 a.a. ~ 544 a.a) full-length human protein.
Sequence	MDSRYLQLQLYLPSCSLLQGSGDSSLEKEFLGAPVGPSVSTPNSQHSSPSRSLSANSIKVEMYS DEESSRLLGPDERLLEKDDSVIVEDSLSEPLGYCDGSGPEPHSPGGIRLPNGKLKCDVCGMVC GPNVLMVHKRSHTGERPFHCNQCASFTQKGNLLRHIKLHSGEKPFCPCNYACRRRDALTGH LRTHSVSSPTVGKPYKCNYCGRSYKQQSTLEEHLKERCHNYLQSLSTEALAGQPGDEIRDLEM VPDMLHSSSERPTFIDRLANSLTKRKRSTPQKFVGEKQMRFSLSLDPYDVNSGGYEKDELVA HHSLEPGFGSSSLAFVGAELRLRLPPTNCISELTPVISSVYTQMQPLPGRLELPGSREAGEGPE DLADGGPLLYRPRGPLTDPGASPSNGCQDSTDTESNHEDRVAGVVSLPQGGPPPPPTIVVGR HSPAYAKEDPKPQEGLLRGTPGPSKEVLRVVGESGEPVKAFKCEHCRILFDHVMFTIHMGCCHG FRDPFECNICGYHSQDRYEFSSHVRGEHKVG
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (96)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of IKZF4 expression in transfected 293T cell line ([H00064375-T02](#)) by IKZF4 MaxPab polyclonal antibody.

Lane 1: IKZF4 transfected lysate(59.70 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — IKZF4

Entrez GeneID[64375](#)**GeneBank Accession#**[NM_022465.2](#)**Protein Accession#**[ENSP00000262032](#)**Gene Name**

IKZF4

Gene Alias

EOS, KIAA1782, ZNFN1A4

Gene Description

IKAROS family zinc finger 4 (Eos)

Omim ID[606239](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

Members of the Ikaros (ZNFN1A1; MIM 603023) family of transcription factors, which includes Eos, are expressed in lymphocytes and are implicated in the control of lymphoid development.[supplied by OMIM]

Other Designations

zinc finger protein, subfamily 1A, 4|zinc finger protein, subfamily 1A, 4 (Eos)|zinc finger transcription factor Eos

Disease

- [Alopecia Areata](#)
- [Autoimmune Diseases](#)

- [Diabetes Mellitus](#)
- [Genetic Predisposition to Disease](#)