

P2RY12 rabbit monoclonal antibody

Catalog # H00064805-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human P2RY12 peptide using ARM Technology.
Immunogen	A synthetic peptide of human P2RY12 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human P2RY12 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — P2RY12

Entrez GeneID	64805
GeneBank Accession#	P2RY12
Gene Name	P2RY12
Gene Alias	ADPG-R, HORK3, P2T(AC), P2Y(AC), P2Y(ADP), P2Y(cyc), P2Y12, SP1999
Gene Description	purinergic receptor P2Y, G-protein coupled, 12
Omim ID	600515 609821
Gene Ontology	Hyperlink
Gene Summary	The product of this gene belongs to the family of G-protein coupled receptors. This family has several receptor subtypes with different pharmacological selectivity, which overlaps in some cases, for various adenosine and uridine nucleotides. This receptor is involved in platelets aggregation, and is a potential target for the treatment of thromboembolisms and other clotting disorders. Two transcript variants encoding the same isoform have been identified for this gene. [provided by RefSeq]
Other Designations	ADP-glucose receptor G-protein coupled receptor SP1999 Gi-coupled ADP receptor HORK3 P2Y purinoceptor 12 platelet ADP receptor purinergic receptor P2RY12 purinergic receptor P2Y12 putative G-protein coupled receptor

Disease

- [Acute Disease](#)
- [Alzheimer disease](#)
- [Angina Pectoris](#)
- [Arteriosclerosis](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Cerebrovascular Accident](#)

- [Chronic Disease](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Coronary Restenosis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Heart Diseases](#)
- [Intraoperative Complications](#)
- [Ischemia](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Myocardial Infarction](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Peripheral Vascular Diseases](#)
- [Pulmonary Embolism](#)
- [Renal Insufficiency](#)
- [Stroke](#)
- [Tobacco Use Disorder](#)
- [Venous Thrombosis](#)
- [Werner syndrome](#)