


FBXL17 polyclonal antibody (A01)

Catalog # H00064839-A01 Size 50 uL

Applications



Specification	
Product Description	Mouse polyclonal antibody raised against a partial recombinant FBXL17.
Immunogen	FBXL17 (NP_073735, 194 a.a. ~ 303 a.a) partial recombinant protein with GST tag.
Sequence	QNLKELYLVSCKITDYALIAIGRYSMTIETVDVGWCKEITDQGATLIAQSSKSLRYLGLMRCDKVNEV TVEQLVQQYPHITFSTVLQDCKRTLERAYQMGWTPNMSAASS
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (86); Rat (32)

😵 Abnova

Product Information

Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (38.21 KDa) .
Storage Buffer	50 % glycerol
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

• Western Blot (Cell lysate)

FBXL17 polyclonal antibody (A01), Lot # 051026JC01 Western Blot analysis of FBXL17 expression in HL-60 (Cat # L014V1). <u>Protocol Download</u>

• Western Blot (Recombinant protein)

Protocol Download

ELISA

Gene Info — FBXL17	
Entrez GenelD	<u>64839</u>
GeneBank Accession#	<u>NM_022824</u>
Protein Accession#	<u>NP_073735</u>
Gene Name	FBXL17
Gene Alias	DKFZp434C1715, FBXO13, Fbl17, Fbx13, MGC161422, MGC161424
Gene Description	F-box and leucine-rich repeat protein 17
Omim ID	<u>609083</u>
Gene Ontology	Hyperlink
Gene Summary	Members of the F-box protein family, such as FBXL17, are characterized by an approximately 40- amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 t hrough the F box, and they interact with ubiquitination targets through other protein interaction do mains (Jin et al., 2004 [PubMed 15520277]).[supplied by OMIM
Other Designations	F-box only protein 13



Disease

• Tobacco Use Disorder