


MaxPab®

TNFAIP8L2 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00079626-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of TNFAIP8L2 expression in transfected 293T cell line ([H00079626-T01](#)) by TNFAIP8L2 MaxPab polyclonal antibody.

Lane 1: TNFAIP8L2 transfected lysate(20.24 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human TNFAIP8L2 protein.
Immunogen	TNFAIP8L2 (AAH63014, 1 a.a. ~ 184 a.a) full-length human protein.
Sequence	MESFSSKSLALQAEKKLLSKMAGRSVAHLFIDETSSEVLDELRYVSKEYTHSRPQAQRVIKDLIKV AIKVAVLHRNGSFGPSELALATRFQKLRRGAMTALSFGGEVDFTFEAAVLGLLTCRDVLLLELV EHHLTPKSHGRIRHVFDFHSDPGLLTALYGPDFTQHLGKICDGLRKLLDEGKL
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of TNFAIP8L2 expression in transfected 293T cell line ([H00079626-T01](#)) by TNFAIP8L2 MaxPab polyclonal antibody.

Lane 1: TNFAIP8L2 transfected lysate(20.24 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — TNFAIP8L2

Entrez GeneID [79626](#)

GeneBank Accession# [BC063014](#)

Protein Accession# [AAH63014](#)

Gene Name TNFAIP8L2

Gene Alias FLJ23467, TIPE2

Gene Description tumor necrosis factor, alpha-induced protein 8-like 2

Gene Ontology [Hyperlink](#)

Gene Summary O

Other Designations OTTHUMP00000014152|inflammation factor 20

Publication Reference

- [Nicotine induces TIPE2 upregulation and Stat3 phosphorylation contributes to cholinergic anti-inflammatory effect.](#)

Sui HX, Ke SZ, Xu DD, Lu NN, Wang YN, Zhang YH, Gao FG.

International Journal of Oncology 2017 Sep; 51(3):987.

Application: WB, Mouse, Raw 264.7 cells