


CBLL1 monoclonal antibody (M02), clone 3B12

Catalog # H00079872-M02


Size 100 ug

Applications



Immunofluorescence

Immunofluorescence of monoclonal antibody to CBLL1 on HeLa cell . [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant CBLL1.
Immunogen	CBLL1 (NP_079090, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MDHTDNELQGTNSSGSLGGLDVRRRIPIKLISKQANKAKPAPRTQRTINRMPAKAPPGDEEGFDY NEEERYDCKGGELFANQRRFPGHLFWDFQINILGE
Host	Mouse
Reactivity	Human

Interspecies Antigen Sequence	Mouse (97); Rat (96)
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to CBLL1 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — CBLL1

Entrez GeneID	79872
GeneBank Accession#	NM_024814
Protein Accession#	NP_079090
Gene Name	CBLL1
Gene Alias	FLJ23109, HAKAI, MGC163401, MGC163403, RNF188
Gene Description	Cas-Br-M (murine) ecotropic retroviral transforming sequence-like 1
Omim ID	606872
Gene Ontology	Hyperlink
Gene Summary	Epithelial cell cadherin (CDH1; MIM 192090) is endocytosed as a consequence of tyrosine phosphorylation and ubiquitination. HAKAI is an E3 ubiquitin ligase (see UBE3A; MIM 601623) that mediates ubiquitination of the CDH1 complex.[supplied by OMIM]

Other Designations

Casitas B-lineage lymphoma-like|E-cadherin binding protein E7

Disease

- [Tobacco Use Disorder](#)