


C10orf81 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00079949-T01


Size 100 uL

Applications



SDS-PAGE Gel

C10orf81 transfected lysate



Western Blot

Lane 1: C10orf81 transfected lysate (31.13 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-C10orf81 full-length
Host	Human
Theoretical MW (kDa)	31.13
Interspecies Antigen Sequence	Mouse (60); Rat (60)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-C10orf81 antibody ([H00079949-B01](#)) by Western Blots.
SDS-PAGE Gel
C10orf81 transfected lysate
Western Blot
Lane 1: C10orf81 transfected lysate (31.13 KDa).
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — C10orf81

Entrez GeneID[79949](#)**GeneBank Accession#**[BC036365](#)**Protein Accession#**[AAH36365](#)**Gene Name**

C10orf81

Gene Alias

FLJ23537, HEL185, bA211N11.2

Gene Description

chromosome 10 open reading frame 81

Gene Ontology[Hyperlink](#)**Other Designations**

epididymis luminal protein 185|hypothetical protein LOC79949

Publication Reference

- [PLEKHS1: A new molecular marker predicting risk of progression of non-muscle-invasive bladder cancer.](#)

Pignot G, Le Goux C, Vacher S, Schnitzler A, Radvanyi F, Allory Y, Lallemand F, Delongchamps NB, Zerbib M, Terris B, Damotte D, Bieche I.

Oncology Letters 2019 Oct; 18(4):3471.

Application: IHC, WB-Ti, Human, Non-muscle-invasive bladder cancer

Disease

- [Tobacco Use Disorder](#)