


MaxPab®

WDR61 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00080349-D01P


Size 100 ug

Applications



Western Blot (Tissue lysate)

WDR61 MaxPab rabbit polyclonal antibody. Western Blot analysis of WDR61 expression in mouse brain.



Western Blot (Transfected lysate)

Western Blot analysis of WDR61 expression in transfected 293T cell line ([H00080349-T02](#)) by WDR61 MaxPab polyclonal antibody.

Lane 1: WDR61 transfected lysate(33.60 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human WDR61 protein.

Immunogen

WDR61 (NP_079510.1, 1 a.a. ~ 305 a.a) full-length human protein.

Sequence

MTNQYGILFKQEQAHDDAMSVAWGTNKKENSETVVTGSLDDLKVKVWWRDERLDLQWSLEGH
QLGVVSVDISHTLPIAASSSLDAHRLWDLENGKQIKSIDAGPVDATLAFSPDSQYLATGTHVGK
VNIFGVESGKKEYSLDTRGKFILSIAYSPDGKYLASGAIDGIINIFDIATGKLLHTLEGHAMPIRSLTFSP
DSQLLVITASDDGYIKYDVQHANLAGTSLGHASWVLNVAFCPDDTHFVSSSSDKSVKVVWDVGTR
TCVHTFFDHQDQVWGVKYNNGSKIVSVGDDQEIHYDCPI

Host

Rabbit

Reactivity	Human, Mouse
Interspecies Antigen Sequence	Mouse (97); Rat (97)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

WDR61 MaxPab rabbit polyclonal antibody. Western Blot analysis of WDR61 expression in mouse brain.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of WDR61 expression in transfected 293T cell line ([H00080349-T02](#)) by WDR61 MaxPab polyclonal antibody.

Lane 1: WDR61 transfected lysate(33.60 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — WDR61

Entrez GeneID	80349
GeneBank Accession#	NM_025234.1
Protein Accession#	NP_079510.1
Gene Name	WDR61
Gene Alias	REC14, SKI8
Gene Description	WD repeat domain 61
Omim ID	609540
Gene Ontology	Hyperlink

Gene Summary

WDR61 is a subunit of the human PAF and SKI complexes, which function in transcriptional regulation and are involved in events downstream of RNA synthesis, such as RNA surveillance (Zhu et al., 2005 [PubMed 16024656]).[supplied by OMIM]

Other Designations

recombination protein REC14

Pathway

- [RNA degradation](#)