


TSGA10 monoclonal antibody (M08), clone 6E8

Catalog # H00080705-M08

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of TSGA10 expression in transfected 293T cell line by TSGA10 monoclonal antibody (M08), clone 6E8.


Lane 1: TSGA10 transfected lysate (81.4 kDa).

Lane 2: Non-transfected lysate.




RNAi Knockdown (Antibody validated)

Western blot analysis of TSGA10 over-expressed 293 cell line, cotransfected with TSGA10 Validated Chimera RNAi (Cat # H00080705-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with TSGA10 monoclonal antibody (M08), clone 6E8 (Cat # H00080705-M08). GAPDH (36.1 kDa) used as specificity and loading control.



Immunofluorescence

Immunofluorescence of monoclonal antibody to TSGA10 on HeLa cell .
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant TSGA10.
Immunogen	TSGA10 (NP_079520, 599 a.a. ~ 698 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	LCLAENKMAIQSRDVAQFRNVVTQLEADLDITKRQLGTERFERERAVQELRRQNYSSNAYHMSST MKPNTKCHSPERAHHRSPDRGLDRSLEENLCYRDF
Host	Mouse
Reactivity	Human
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of TSGA10 expression in transfected 293T cell line by TSGA10 monoclonal antibody (M08), clone 6E8.

Lane 1: TSGA10 transfected lysate(81.4 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

- RNAi Knockdown (Antibody validated)

Western blot analysis of TSGA10 over-expressed 293 cell line, cotransfected with TSGA10 Validated Chimera RNAi (Cat # H00080705-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with TSGA10 monoclonal antibody (M08), clone 6E8 (Cat # H00080705-M08). GAPDH (36.1 kDa) used as specificity and loading control.

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of monoclonal antibody to TSGA10 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — TSGA10

Entrez GeneID	80705
GeneBank Accession#	NM_025244
Protein Accession#	NP_079520
Gene Name	TSGA10
Gene Alias	CEP4L
Gene Description	testis specific, 10
Omim ID	607166
Gene Ontology	Hyperlink
Gene Summary	O
Other Designations	OTTHUMP00000161217