


MaxPab®

NETO1 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00081832-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of NETO1 expression in transfected 293T cell line ([H00081832-T01](#)) by NETO1 MaxPab polyclonal antibody.

Lane1:NETO1 transfected lysate(58.63 KDa).

Lane2:Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human NETO1 protein.
Immunogen	NETO1 (AAH50329.1, 1 a.a. ~ 533 a.a) full-length human protein.
Sequence	MIHGRSVLHIVASLIILHLGATKKGTEKQTTSETQKSVQCGTWTKHAEGGIFTSPNYPISKYPPDRE CIMIEAAPRQCIELYFDEKYSIEPSWECKFDHIEVRDGPFGFSPIIGRFCGQQNPPVIKSSGRFLWIK FFAAGELESMGFSARYNFTPDPDFKDLGALKPLPACEFEMGGSEGIVESIQIMKEGKATASEAVD CKWYIRAPPRSKMYLRFLDYEMQNSNECKRNFVAVYDGSSSVEDLKAKFCSTVANDVMLRTGLG VIRMWADEGSRNSRFQMLFTSFQEPPCEGNTFFCHSNMCINNTLVCNGLQNCVYPWDENHCKE KRKTSLLDQLTNTSGTVIGVTSCVILIIISVIMQIKQPRKKYVQRKSDFDQTVFQEVFEPHYELCTLR GTGATADFADVADDFENYHKLRSSSKCIHDHHCQSLSSTKGSRSNLSTRDASILTEMPTQPGK PLIPPMNRRNILVMKHNYSQDAADACDIDEIEEVPTTSHRLSRHDKAVQRFCLIGSLSKHESEYNTT RV
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of NETO1 expression in transfected 293T cell line ([H00081832-T01](#)) by NETO1 MaxPab polyclonal antibody.

Lane1:NETO1 transfected lysate(58.63 KDa).

Lane2:Non-transfected lysate.

[Protocol Download](#)

Gene Info — NETO1

Entrez GeneID [81832](#)

GeneBank Accession# [BC050329.1](#)

Protein Accession# [AAH50329.1](#)

Gene Name NETO1

Gene Alias BCTL1, BTCL1

Gene Description neuropilin (NRP) and tolloid (TLL)-like 1

Omim ID [607973](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a predicted transmembrane protein containing two extracellular CUB domain s followed by a low-density lipoprotein class A (LDLa) domain. It also has an intracellular FXNPX Y-like motif, which has been shown in other proteins to be essential for the internalization of clathrin coated pits during endocytosis. Alternatively spliced transcript variants encoding distinct protein s have been described. [provided by RefSeq]

Other Designations OTTHUMP00000163732|neuropilin- and tolloid-like protein 1

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)

- [Edema](#)