


MaxPab®

CCDC8 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00083987-B01P


Size 50 ug

Applications




Western Blot (Tissue lysate)

CCDC8 MaxPab polyclonal antibody. Western Blot analysis of CCDC8 expression in human spleen.



Western Blot (Tissue lysate)

CCDC8 MaxPab polyclonal antibody. Western Blot analysis of CCDC8 expression in rat brain.



Western Blot (Transfected lysate)

Western Blot analysis of CCDC8 expression in transfected 293T cell line ([H00083987-T01](#)) by CCDC8 MaxPab polyclonal antibody.

Lane 1: CCDC8 transfected lysate(59.40 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human CCDC8 protein.

Immunogen	CCDC8 (AAH25243.1, 1 a.a. ~ 538 a.a) full-length human protein.
Sequence	MLQIGEDVDYLLIPREVRLAGGVWRVSKPATKEAEFRERLTQFLEEEGRTLEDVARIMEKSTPHP PQPPKKPKPEPRVRRRVQQMVTTPPRLVVGTYDSSNASDSEFSDFETSRDKSRQGPRRGKKVR KMPVSYLGSKFLGSDLESEDDEELVEAFLRRQEKQPSAPPARRRVNLPVPMFEDNLGPQLSKA DRWREYVSQVSWGKLRKRVKGWAPRAGPGVGEARLASTAVESAGVSSAPEGTSPGDRLGNA GDVCVPQASPRRWRPKINWASFRRRRKEQTAPTGGADIEADQGGEAADSQREEAIADQREGA AGNQ RAGAPADQGAEEADNQREEAADNQ RAGAPAEEGAEEADNQREEAADNQRAEAPADQR SQGTDNHREEAADNQRAEAPADQGSEVTDNQREEAVHDQ RERAPAVQGADNQRAQARAGQR AEAAHNQ RAGAPGIQEA EVSAAQGTGTAPGARARKQVKT VRFQTPGRFSWFCKRRRAFWHTP RLPTLPKRVP RAGEARNLRVLRAEARAEAEQGEQEDQL
Host	Mouse
Reactivity	Human, Rat
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

CCDC8 MaxPab polyclonal antibody. Western Blot analysis of CCDC8 expression in human spleen.

[Protocol Download](#)

- Western Blot (Tissue lysate)

CCDC8 MaxPab polyclonal antibody. Western Blot analysis of CCDC8 expression in rat brain.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of CCDC8 expression in transfected 293T cell line ([H00083987-T01](#)) by CCDC8 MaxPab polyclonal antibody.

Lane 1: CCDC8 transfected lysate(59.40 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — CCDC8

Entrez GeneID	83987
GeneBank Accession#	BC025243
Protein Accession#	AAH25243.1
Gene Name	CCDC8
Gene Alias	DKFZp564K0322
Gene Description	coiled-coil domain containing 8
Gene Ontology	Hyperlink
Other Designations	-

Publication Reference

- [Exome Sequencing Identifies CCDC8 Mutations in 3-M Syndrome, Suggesting that CCDC8 Contributes in a Pathway with CUL7 and OBSL1 to Control Human Growth.](#)

Hanson D, Murray PG, O'Sullivan J, Urquhart J, Daly S, Bhaskar SS, Biesecker LG, Skae M, Smith C, Cole T, Kirk J, Chandler K, Kingston H, Donnai D, Clayton PE, Black GC.

American Journal of Human Genetics 2011 Jul; 89(1):148.

Application: IP, IP-WB, WB-Ce, WB-Tr, Human, HEK293 cells, Fibroblasts