


## FBXO30 polyclonal antibody (A01)


Catalog # H00084085-A01 Size 50 uL

## **Applications**



## Western Blot (Cell lysate)

FBXO30 polyclonal antibody (A01), Lot # 051102JCO1 Western Blot analysis of FBXO30 expression in PC-12 ( Cat # L012V1 ).



Western Blot detection against Immunogen (36.01 KDa).

Specification	
Product Description	Mouse polyclonal antibody raised against a partial recombinant FBXO30.
Immunogen	FBXO30 (NP_115521, 656 a.a. ~ 745 a.a) partial recombinant protein with GST tag.
Sequence	MVILQWGKRKYPEGNSSWQIKEKVWRFSTAFCSVNEWKFADILSMADHLKKCSYNVVEKREEAI PLPCMCVTRELTKEGRSLRSVLKPVL
Host	Mouse
Reactivity	Human, Rat
Interspecies Antigen Sequence	Mouse (87); Rat (87)



## **Product Information**

Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (36.01 KDa).
Storage Buffer	50 % glycerol
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# Applications

Western Blot (Cell lysate)

FBXO30 polyclonal antibody (A01), Lot # 051102JCO1 Western Blot analysis of FBXO30 expression in PC-12 ( Cat # L012V1 ).

Protocol Download

• Western Blot (Recombinant protein)

**Protocol Download** 

ELISA

Gene Info — FBXO30	
Entrez GeneID	<u>84085</u>
GeneBank Accession#	NM_032145
Protein Accession#	NP_115521
Gene Name	FBXO30
Gene Alias	FLJ41030, Fbx30, MGC21674
Gene Description	F-box protein 30
Omim ID	609101
Gene Ontology	<u>Hyperlink</u>



### **Product Information**

#### **Gene Summary**

This gene encodes a member of the F-box protein family which is characterized by an approximat ely 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ub iquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the F bxs class and it is upregulated in nasopharyngeal carcinoma. [provided by RefSeq

#### **Other Designations**

F-box domain protein |F-box only protein 30 |F-box only protein, helicase, 18 |OTTHUMP00000017 362