


MaxPab®

MYST1 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00084148-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of MYST1 expression in transfected 293T cell line ([H00084148-T01](#)) by MYST1 MaxPab polyclonal antibody.

Lane 1: MYST1 transfected lysate(53.10 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human MYST1 protein.

Immunogen

MYST1 (AAH37773.1, 1 a.a. ~ 467 a.a) full-length human protein.

Sequence

MAAQGAAAAVAAGTSGVAGEGEPGPGENAAAEGTAPSPGRVSPPTPARGEPEVTVEIGETLYC
RRPDSTWHS AEVIQSRVNDQEGREEFYVHYVGFNRRLDEWVDKNRLALTKTVKDAVQKNSEKYL
SELAEQPERKITRNQKRKHDEINH VQKTYAEMDPTTA ALEKEHEAITKVKYVDKI HIGNYEIDAWYFS
PPFEDYGKQPKLWLCEYCLKYMKYEKSYRFHLGQCQWRQPPGKEIYRKSNISVYEVDGKDHKIYC
QNLCLLAKLFLDHKTLYFDVEPFVFYILTEVD RQGAHIVGYFSKEKESPDGNNVACILTLPPYQRRG
YGKFLIAFSYELSKLESTVGSPEKPLSDLGKLSYRSYWSWVLEILRDFRGTLSIKDLSQMTSITQN
DIISTLQSLNMVKYWKQGHVICVTPKLVEEHLKSAQYKKPPITGGWGA AVCRGRWGSVSMWTGR
SQGLLIAVT

Host

Rabbit

Reactivity

Human

Interspecies Antigen Sequence

Mouse (98); Rat (97)

Quality Control Testing

Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of MYST1 expression in transfected 293T cell line ([H00084148-T01](#)) by MYST1 MaxPab polyclonal antibody.

Lane 1: MYST1 transfected lysate(53.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — MYST1

Entrez GeneID[84148](#)**GeneBank Accession#**[BC037773.1](#)**Protein Accession#**[AAH37773.1](#)**Gene Name**

MYST1

Gene Alias

FLJ14040, KAT8, MOF, hMOF

Gene Description

MYST histone acetyltransferase 1

Omim ID[609912](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The MYST family of histone acetyltransferases, which includes MYST1, is named for the founding members MOZ (MYST3; MIM 601408), yeast YBF2 and SAS2, and TIP60 (HTATIP; MIM 601409). All members of this family contain a MYST region of about 240 amino acids with a canonical acetyl-CoA-binding site and a C2HC-type zinc finger motif. Most MYST proteins also have a chromodomain involved in protein-protein interactions and targeting transcriptional regulators to chromatin (Neal et al., 2000 [PubMed 10786633]).[supplied by OMIM]

Other Designations

histone acetyltransferase MYST1|ortholog of Drosophila males absent on the first (MOF)

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)