


ASCC2 monoclonal antibody (M07), clone 3B2

Catalog # H00084164-M07


Size 100 ug

Applications




Western Blot (Cell lysate)

ASCC2 monoclonal antibody (M07), clone 3B2. Western Blot analysis of ASCC2 expression in HeLa (Cat # L013V1).



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged ASCC2 is 1 ng/ml as a capture antibody.



Western Blot detection against Immunogen (35.2 KDa) .

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant ASCC2.

Immunogen	ASCC2 (NP_115580, 672 a.a. ~ 757 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	APKPDHFVQDPAVLREKAEARRMAFLAKKGYRHDSSTAVAGSPRGHGQSRETTQERRKKEANK ATRANHNRRTMADRKRSKGMIPS
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (86); Rat (86)
Isotype	IgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.2 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

ASCC2 monoclonal antibody (M07), clone 3B2. Western Blot analysis of ASCC2 expression in HeLa(Cat # L013V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged ASCC2 is 1 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — ASCC2

Entrez GeneID [84164](#)

GeneBank Accession#	NM_032204
Protein Accession#	NP_115580
Gene Name	ASCC2
Gene Alias	ASC1p100
Gene Description	activating signal cointegrator 1 complex subunit 2
Gene Ontology	Hyperlink
Other Designations	ASC 1 complex subunit P100 ASC-1 complex subunit P100