


MaxPab®

NICN1 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00084276-B01P


Size 50 ug

Applications



Western Blot (Tissue lysate)

NICN1 MaxPab polyclonal antibody. Western Blot analysis of NICN1 expression in human kidney.



Western Blot (Transfected lysate)

Western Blot analysis of NICN1 expression in transfected 293T cell line ([H00084276-T01](#)) by NICN1 MaxPab polyclonal antibody.

Lane 1: NICN1 transfected lysate(23.43 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human NICN1 protein.
Immunogen	NICN1 (NP_115692.1, 1 a.a. ~ 213 a.a) full-length human protein.
Sequence	MSRVLPCHVKGSVALQVGDVRTSQGRPGVLVIDVTFPSVAPFELQEITFKNYYTAFLSIRVRQYT SAHTPAKWVTCLRDYCLMPDPHSEEGAQEQYVSLFKHQMLCDMARISELRILRQPSPLWLSFTV EELQIQQGPKSPSVTFPKWLSHPVPCEQPALLREGLPDPSRVSSSEVQQMWALTEMIRASHTSA RIGRFDVDGCDLNLSSYT
Host	Mouse
Reactivity	Human

Interspecies Antigen Sequence	Mouse (89); Rat (90)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

NICN1 MaxPab polyclonal antibody. Western Blot analysis of NICN1 expression in human kidney.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of NICN1 expression in transfected 293T cell line ([H00084276-T01](#)) by NICN1 MaxPab polyclonal antibody.

Lane 1: NICN1 transfected lysate(23.43 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — NICN1

Entrez GeneID	84276
GeneBank Accession#	NM_032316
Protein Accession#	NP_115692.1
Gene Name	NICN1
Gene Alias	MGC12936
Gene Description	nicolin 1
Omim ID	611516
Gene Ontology	Hyperlink

Gene Summary

This protein encoded by this gene localizes to the nucleus and is expressed in numerous tissues including brain, testis, liver, and kidney. This refseq contains genomic sequence in its 3' UTR which is not supported by experimental evidence. Computer predictions indicate that this region of the 3' UTR contains hairpin-forming self-complementary sequence which is possibly excised after transcription. This gene has a pseudogene on chromosome X. [provided by RefSeq]

Other Designations

-

Disease

- [Crohn Disease](#)
- [Genetic Predisposition to Disease](#)
- [Urinary Bladder Neoplasms](#)