


RNF135 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00084282-T01


Size 100 uL

Applications



SDS-PAGE Gel

RNF135 transfected lysate.



Western Blot

Lane 1: RNF135 transfected lysate (23.21 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-RNF135 full-length
Host	Human
Theoretical MW (kDa)	23.21
Interspecies Antigen Sequence	Mouse (56); Rat (54)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-RNF135 antibody ([H00084282-B01](#)) by Western Blots.
SDS-PAGE Gel
RNF135 transfected lysate.
Western Blot
Lane 1: RNF135 transfected lysate (23.21 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RNF135

Entrez GeneID[84282](#)**GeneBank Accession#**[NM_197939.1](#)**Protein Accession#**[NP_922921.1](#)**Gene Name**

RNF135

Gene Alias

L13, MGC13061, Riplet

Gene Description

ring finger protein 135

Omim ID[611358](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene contains a RING finger domain, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions. This gene is located in a chromosomal region known to be frequently deleted in patients with neurofibromatosis. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]

Other Designations

-

Disease

- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)
- [Growth Disorders](#)
- [Learning Disorders](#)
- [Syndrome](#)