


WDR73 monoclonal antibody (M06), clone 4A6

Catalog # H00084942-M06


Size 100 ug

Applications



Western Blot (Cell lysate)

WDR73 monoclonal antibody (M06), clone 4A6. Western Blot analysis of WDR73 expression in HeLa.




Western Blot (Transfected lysate)

Western Blot analysis of WDR73 expression in transfected 293T cell line by WDR73 monoclonal antibody (M06), clone 4A6.


Lane 1: WDR73 transfected lysate (Predicted MW: 41.7 KDa).

Lane 2: Non-transfected lysate.



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged WDR73 is 0.03 ng/ml as a capture antibody.



Western Blot detection against Immunogen (68.1 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a full-length recombinant WDR73.
Immunogen	WDR73 (NP_116245.2, 1 a.a. ~ 378 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MDPGDDWLVESLRLYQDFYAFDL SGATRVLEWIDDKGVFVAGYESLKKNEILHLKLPLRLSVKEN KGLFPERDFKVRHGGFSDRSIFDLKHVPHTRLLVTSGLPGCYLQVWQVAEDSDVIKAVSTIAVHE KEESLWPRVAVFSTLAPGVLHGARLRLSLQVVDLESRKTTYTSDVSDSEELSSLQVLDADTF AFC CASGRLGLVDTRQKWAPLENRSPGPGSGGERWCAEVGSWGQGPGPSIASLGSDGRLCLLDPR DLCHPVSSVQCPVSVSPDPPELLRVTWAPGLKNCLAISGFDGTQVYDATSWDGTGRSQDGTGRS QVEPLFTHRGHIFLDGNGMDPAPLVTTHTWHPCRPTLLSATNDASLHVWDWVDLCAPR
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (78); Rat (78)
Isotype	IgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (68.1 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

WDR73 monoclonal antibody (M06), clone 4A6. Western Blot analysis of WDR73 expression in HeLa.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of WDR73 expression in transfected 293T cell line by WDR73 monoclonal antibody (M06), clone 4A6.

Lane 1: WDR73 transfected lysate (Predicted MW: 41.7 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged WDR73 is 0.03 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — WDR73

Entrez GeneID	84942
---------------	-----------------------

GeneBank Accession#	NM_032856.2
---------------------	-----------------------------

Protein Accession#	NP_116245.2
--------------------	-----------------------------

Gene Name	WDR73
-----------	-------

Gene Alias	FLJ14888, HSPC264
------------	-------------------

Gene Description	WD repeat domain 73
------------------	---------------------

Gene Ontology	Hyperlink
---------------	---------------------------

Other Designations	FLJ00296 protein
--------------------	------------------