

HIST1H2AH rabbit monoclonal antibody

Catalog # H00085235-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human HIST1H2AH peptide using ARM Technology.
lmmunogen	A synthetic peptide of human HIST1H2AH is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human HIST1H2AH peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — HIST1H2AH	
Entrez GenelD	<u>85235</u>
GeneBank Accession#	HIST1H2AH
Gene Name	HIST1H2AH
Gene Alias	H2A/S, H2AFALii, MGC171151, dJ86C11.1
Gene Description	histone cluster 1, H2ah
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, an d H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and f unctions in the compaction of chromatin into higher order structures. This gene is intronless and e ncodes a member of the histone H2A family. Transcripts from this gene lack polyA tails but instea d contain a palindromic termination element. This gene is found in the histone microcluster on chromosome 6p21.33. [provided by RefSeq
Other Designations	H2A histone family member

Pathway

• Systemic lupus erythematosus