

DNAXPAb

Hard-to-Find
Antibody

NKD2 DNAXPab

Catalog # H00085409-W01P

Size 200 ug

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human NKD2 DNA using DNAX™ Immune technology.
Technology	DNAX™ Immune
Immunogen	Full-length human DNA
Sequence	MGKLQSKHAAAARKRRESPEGDSFVASAYASGRKGAEAAERRARDKQELPNGDPKEGPFRED QCPLQVALPAEKAEGREHPGQLLSADDGERAANREGPRGPGGQRLNIDALQCDVSVEEDDRQ EWTFTLYDFDNCCKVTREDMSSLMHTYEVVDASVNHSSGSSKTLRVKLTVSPEPSSKRKEGPP AGQDREPTRCRMEGELAEPRVADRRLSAHVRRPSTDPQPCSERGPYCVDENTERRNHYDLA GIENYTSRFGPGSQLCEKRSSAPRTHSGDKARGVGLCRELWSQAGHPQWPGPFPSGLVAV
Host	Rabbit
Reactivity	Human
Purification	Protein A
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- Immunofluorescence (Transfected cell)
- Flow Cytometry (Transfected cell)

Gene Info — NKD2

Entrez GeneID [85409](#)**GeneBank Accession#** [BC012176.1](#)**Protein Accession#** [AAH12176.1](#)**Gene Name** NKD2**Gene Alias** Naked2**Gene Description** naked cuticle homolog 2 (Drosophila)**Omim ID** [607852](#)**Gene Ontology** [Hyperlink](#)

Gene Summary In the mouse, Nkd is a Dishevelled (see DVL1; MIM 601365)-binding protein that functions as a negative regulator of the Wnt (see WNT1; MIM 164820)-beta-catenin (see MIM 116806)-Tcf (see MIM 602272) signaling pathway.[supplied by OMIM]

Other Designations Dvl-binding protein NKD2|naked cuticle homolog 2|naked cuticle-2

Pathway

- [Wnt signaling pathway](#)