


SIGLEC10 polyclonal antibody (A01)

Catalog # H00089790-A01


Size 50 uL

Applications



Western Blot (Cell lysate)

SIGLEC10 polyclonal antibody (A01), Lot # O51123JC01 Western Blot analysis of SIGLEC10 expression in HepG2 (Cat # L019V1).



Western Blot detection against Immunogen (37.99 KDa) .

Specification

Product Description	Mouse polyclonal antibody raised against a partial recombinant SIGLEC10.
Immunogen	SIGLEC10 (NP_149121, 589 a.a. ~ 696 a.a) partial recombinant protein with GST tag.
Sequence	SRHSTILDYINVVPTAGPLAQKRNQKATPNSPRTPLPPGAPSPESKKNQKKQYQLPSFPEPKSST QAPESQESQEELHYATLNFPGVRPRPEARMPKGTQADYAEVKF
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (45); Rat (52)

Quality Control Testing

Antibody Reactive Against Recombinant Protein.
Western Blot detection against Immunogen (37.99 KDa) .

Storage Buffer

50 % glycerol

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

SIGLEC10 polyclonal antibody (A01), Lot # O51123JC01 Western Blot analysis of SIGLEC10 expression in HepG2 (Cat # L019V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — SIGLEC10

Entrez GeneID

[89790](#)

GeneBank Accession#

[NM_033130](#)

Protein Accession#

[NP_149121](#)

Gene Name

SIGLEC10

Gene Alias

MGC126774, PRO940, SIGLEC-10, SLG2

Gene Description

sialic acid binding Ig-like lectin 10

Omim ID

[606091](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

SIGLECs are members of the immunoglobulin superfamily that are expressed on the cell surface. Most SIGLECs have 1 or more cytoplasmic immune receptor tyrosine-based inhibitory motifs, or ITIMs. SIGLECs are typically expressed on cells of the innate immune system, with the exception of the B-cell expressed SIGLEC6 (MIM 604405).[supplied by OMIM]

Other Designations

sialic acid binding Ig-like lectin 10 Ig-like lectin 7|siglec-like gene 2