


Full-Length

BOC (Human) Recombinant Protein (P01)

Catalog # H00091653-P01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human BOC full-length ORF (AAH34614, 1 a.a. - 157 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	MLRGMTAWRGMRPEVTLACLLLATAGCFADLNEVPQVTVPASTVQKPGGTIVLGCVVEPPRM NVTWRLNGKELNGSDDALGVLITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLASESA PLPPCHGAVPPHLSHPEAPTIHAASCYS
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	43.01
Interspecies Antigen Sequence	Mouse (84)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — BOC

Entrez GeneID [91653](#)**GeneBank Accession#** [BC034614](#)**Protein Accession#** [AAH34614](#)**Gene Name** BOC**Gene Alias** -**Gene Description** Boc homolog (mouse)**Omim ID** [608708](#)**Gene Ontology** [Hyperlink](#)

Gene Summary CDON (MIM 608707) and BOC are cell surface receptors of the immunoglobulin (Ig)/fibronectin type III (FNIII; see MIM 135600) repeat family involved in myogenic differentiation. CDON and BOC are coexpressed during development, form complexes with each other in a cis fashion, and are related to each other in their ectodomains, but each has a unique long cytoplasmic tail.[supplied by OMIM]

Other Designations brother of CDO