


WDR20 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00091833-T01


Size 100 uL

Applications



SDS-PAGE Gel

WDR20 transfected lysate.



Western Blot

Lane 1: WDR20 transfected lysate (62.9 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-WDR20 full-length
Host	Human
Theoretical MW (kDa)	62.7
Interspecies Antigen Sequence	Mouse (98); Rat (98)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-WDR20 antibody ([H00091833-B01](#)) by Western Blots.
SDS-PAGE Gel
WDR20 transfected lysate.
Western Blot
Lane 1: WDR20 transfected lysate (62.9 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — WDR20

Entrez GeneID

[91833](#)

GeneBank Accession#

[BC028387.2](#)

Protein Accession#

-

Gene Name

WDR20

Gene Alias

DMR, FLJ33659, MGC33177, MGC33183

Gene Description

WD repeat domain 20

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a WD repeat-containing protein. Multiple alternatively spliced transcript variants have been found for this gene, but the full-length nature of some variants has not been defined. [provided by RefSeq]

Other Designations

-

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)

- [Edema](#)