

CHRDL1 monoclonal antibody (M02), clone 1D10

Catalog # H00091851-M02 Size 50 ug

Applications

1.4 1.2 1.0 0.8

0.6 0.4 0.2 0.0

0.01

0D 450



Western Blot (Cell lysate)

CHRDL1 monoclonal antibody (M02), clone 1D10. Western Blot analysis of CHRDL1 expression in Hela S3 NE.

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CHRDL1 is 0.03 ng/ml as a capture antibody.



40-35-25-

15-

Recombinant Protein Concentration (ng/ml)

100

Western Blot detection against Immunogen (37.84 KDa).

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant CHRDL1.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

😵 Abnova	Product Information
Immunogen	CHRDL1 (NP_660277, 347 a.a. ~ 456 a.a) partial recombinant protein with GST tag. MW of the GS T tag alone is 26 KDa.
Sequence	MPVYESVFMEDGETTRKIALETERPPQVEVHVWTIRKGILQHFHIEKISKRMFEELPHFKLVTRTTL SQWKIFTEGEAQISQMCSSRVCRTELEDLVKVLYLERSEKGHC
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (89)
lsotype	lgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)
 CHRDL1 monoclonal antibody (M02), clone 1D10. Western Blot analysis of CHRDL1 expression in Hela S3 NE.
 <u>Protocol Download</u>
- Western Blot (Recombinant protein)

Protocol Download

- Sandwich ELISA (Recombinant protein)
 Detection limit for recombinant GST tagged CHRDL1 is 0.03 ng/ml as a capture antibody.
 <u>Protocol Download</u>
- ELISA

Gene Info — CHRDL1	
Entrez GenelD	<u>91851</u>

🖗 Abnova

Product Information

GeneBank Accession#	<u>NM_145234</u>
Protein Accession#	<u>NP_660277</u>
Gene Name	CHRDL1
Gene Alias	CHL, NRLN1, VOPT, dA141H5.1
Gene Description	chordin-like 1
Omim ID	300350
Gene Ontology	Hyperlink
Gene Summary	This gene encodes an antagonist of bone morphogenetic protein 4. The encoded protein may pla y a role in topographic retinotectal projection and in the regulation of retinal angiogenesis in respo nse to hypoxia. Alternatively spliced transcript variants encoding different isoforms have been des cribed. [provided by RefSeq
Other Designations	neuralin 1 ventroptin