

NAPRT1 rabbit monoclonal antibody

Catalog # H00093100-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human NAPRT1 peptide using ARM Technology.
Immunogen	A synthetic peptide of human NAPRT1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human NAPRT1 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — NAPRT1

Entrez GeneID [93100](#)

GeneBank Accession# [NAPRT1](#)

Gene Name NAPRT1

Gene Alias PP3856

Gene Description nicotinate phosphoribosyltransferase domain containing 1

Omim ID [611552](#)

Gene Ontology [Hyperlink](#)

Gene Summary Nicotinic acid (NA; niacin) is converted by nicotinic acid phosphoribosyltransferase (NAPRT; EC 2.4.2.11) to NA mononucleotide (NaMN), which is then converted to NA adenine dinucleotide (NaAD), and finally to nicotinamide adenine dinucleotide (NAD), which serves as a coenzyme in cellular redox reactions and is an essential component of a variety of processes in cellular metabolism including response to stress (Hara et al., 2007).[supplied by OMIM]

Other Designations nicotinic acid phosphoribosyltransferase