


# TRIM9 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00114088-T01


Size 100 uL

## Applications



### SDS-PAGE Gel

TRIM9 transfected lysate.



### Western Blot

Lane 1: TRIM9 transfected lysate ( 60.61 KDa)

Lane 2: Non-transfected lysate.

## Specification

Transfected Cell Line	293T
Plasmid	pCMV-TRIM9 full-length
Host	Human
Theoretical MW (kDa)	60.61
Interspecies Antigen Sequence	Mouse (98); Rat (98)

## Quality Control Testing

Transient overexpression cell lysate was tested with Anti-TRIM9 antibody ([H00114088-B01](#)) by Western Blots.  
SDS-PAGE Gel  
TRIM9 transfected lysate.  
Western Blot  
Lane 1: TRIM9 transfected lysate ( 60.61 KDa)  
Lane 2: Non-transfected lysate.

## Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

## Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot

## Gene Info — TRIM9

## Entrez GeneID

[114088](#)

## GeneBank Accession#

[NM\\_052978.3](#)

## Protein Accession#

-

## Gene Name

TRIM9

## Gene Alias

KIAA0282, RNF91, SPRING

## Gene Description

tripartite motif-containing 9

## Omim ID

[606555](#)

## Gene Ontology

[Hyperlink](#)

## Gene Summary

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The protein localizes to cytoplasmic bodies. Its function has not been identified. Alternate splicing of this gene generates two transcript variants encoding different isoforms. [provided by RefSeq]

## Other Designations

homolog of rat RING finger Spring|tripartite motif protein 9

## Disease

- [Tobacco Use Disorder](#)