


SLAMF6 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00114836-T01


Size 100 uL

Applications



SDS-PAGE Gel

SLAMF6 transfected lysate.



Western Blot

Lane 1: SLAMF6 transfected lysate (29.92 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-SLAMF6 full-length

Host Human

Theoretical MW (kDa) 29.92

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-SLAMF6 antibody ([H00114836-B01](#)) by Western Blots.

SDS-PAGE Gel

SLAMF6 transfected lysate.

Western Blot

Lane 1: SLAMF6 transfected lysate (29.92 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SLAMF6

Entrez GeneID	114836
GeneBank Accession#	BC090928.1
Protein Accession#	AAH90928.1
Gene Name	SLAMF6
Gene Alias	KALI, KAL1b, Ly108, MGC104953, NTB-A, NTBA, SF2000
Gene Description	SLAM family member 6
Omim ID	606446
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a type I transmembrane protein, belonging to the CD2 subfamily of the immunoglobulin superfamily. This encoded protein is expressed on Natural killer (NK), T, and B lymphocytes. It undergoes tyrosine phosphorylation and associates with the Src homology 2 domain-containing protein (SH2D1A) as well as with SH2 domain-containing phosphatases (SHPs). It may function as a coreceptor in the process of NK cell activation. It can also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients. [provided by RefSeq]
Other Designations	NTBA receptor OTTHUMP00000024348 activating NK receptor natural killer-, T- and B-cell antigen

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)

- [Tobacco Use Disorder](#)