


OSBPL6 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00114880-T01


Size 100 uL

Applications



SDS-PAGE Gel

OSBPL6 transfected lysate.



Western Blot

Lane 1: OSBPL6 transfected lysate (55.99 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-OSBPL6 full-length
Host	Human
Theoretical MW (kDa)	55.99
Interspecies Antigen Sequence	Mouse (79); Rat (84)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-OSBPL6 antibody ([H00114880-B01](#)) by Western Blots.
SDS-PAGE Gel
OSBPL6 transfected lysate.
Western Blot
Lane 1: OSBPL6 transfected lysate (55.99 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — OSBPL6

Entrez GeneID[114880](#)**GeneBank Accession#**[BC052259.1](#)**Protein Accession#**[AAH52259.1](#)**Gene Name**

OSBPL6

Gene Alias

FLJ36583, MGC59642, ORP6

Gene Description

oxysterol binding protein-like 6

Omim ID[606734](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology domain and a highly conserved C-terminal OSBP-like sterol-binding domain. Transcript variants encoding different isoforms have been identified. [provided by RefSeq]

Other Designations

OSBP-related protein 6|oxysterol-binding protein-like protein 6|oxysterol-binding protein-related protein 6

Disease

- [Autistic Disorder](#)
- [Genetic Predisposition to Disease](#)