


MaxPab®

FCRL3 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00115352-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of FCRL3 expression in transfected 293T cell line ([H00115352-T01](#)) by FCRL3 MaxPab polyclonal antibody.

Lane 1: FCRL3 transfected lysate(81.62 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human FCRL3 protein.
Immunogen	FCRL3 (ABM86598.1, 1 a.a. ~ 742 a.a) full-length human protein.
Sequence	MLLWLLLLLTPGREQSGVAPKAVLLLNPWPSTAFKGEKVALICSSISHSLAQGDTYWYHDEKLLKI KHDKIQITEPGNYQCKTRGSSLSDAVHVEFSPDWLILQALHPVFEGDNVILRCQGKDNKNTHQKVY YKDGKQLPNSYNLEKITVNSVSRDNSKYHCTAYRKFYILDIEVTSKPLNIQVQELFLHPVLRASSSTP IEGSPMTLTCTETQLSPQRPDVQLQFSLFRDSQTLGLGWSRSPRLQIPAMWTEDSGSYWCEVETV THSIKKRSLRSQIRVQRPVPSNVNLEIRPTGGQLIEGENMVLICSAQSGTGTFSWHKEGRVRS GRKTQRSLLAELHVLTVKESDAGRYCAADNVHSPILSTWIRVTVRIPVSHPVLTFRAPRAHTVVG DLLELHCESLRGSPPIRYFYHEDVTLGNSSAPSGGGASFNLSTAEHSGNYSCDADNGLGAQHS HGVSLRVTPVSRPVLTLRAPGAQAVVGDLELHCESLRGSFPILYWFYHEDDTLGNISAHSGGG ASFNLSTTEHSGNYSCEADNGLGAQHSKVVTNLNTGTSRNRTGLTAAGITGLVLSILVAAAAAALL HYARARRKPGGLSATGTSSHSPSECQEPSSSRPSRIDPQEPHSHKPLAPMELEPMYSNVNPGD SNPIYSQWISIQHTKENSANCPMMHQEHEELTVLYSELKKTHPDDSAAGEASSRGRAHEEDDEENY ENILNPRKNKVQDFPCLCNT
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of FCRL3 expression in transfected 293T cell line ([H00115352-T01](#)) by FCRL3 MaxPab polyclonal antibody.

Lane 1: FCRL3 transfected lysate(81.62 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — FCRL3

Entrez GeneID[115352](#)**GeneBank Accession#**[DQ895672.2](#)**Protein Accession#**[ABM86598.1](#)**Gene Name**

FCRL3

Gene Alias

FCRH3, IFGP3, IRTA3, SPAP2

Gene Description

Fc receptor-like 3

Omim ID[606510](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a member of the immunoglobulin receptor superfamily and is one of several Fc receptor-like glycoproteins clustered on the long arm of chromosome 1. The encoded protein contains immunoreceptor-tyrosine activation motifs and immunoreceptor-tyrosine inhibitory motifs in its cytoplasmic domain and may play a role in regulation of the immune system. Mutations in this gene have been associated with rheumatoid arthritis, autoimmune thyroid disease, and systemic lupus erythematosus. [provided by RefSeq]

Other Designations

Fc receptor homolog 3|SH2 domain-containing phosphatase anchor protein 2|immunoglobulin superfamily receptor translocation associated protein 3

Disease

- [Alopecia Areata](#)
- [Arthritis](#)
- [Asthma](#)
- [Autoimmune Diseases](#)
- [Behcet Syndrome](#)
- [Chronic Disease](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Eye Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Graves Disease](#)
- [Hashimoto Disease](#)
- [Hepatitis](#)
- [Immune System Diseases](#)
- [Inflammatory Bowel Diseases](#)
- [Lupus Erythematosus](#)
- [Multiple Sclerosis](#)
- [Schizophrenia](#)
- [Spondylitis](#)
- [Thyroid Diseases](#)
- [Thyroiditis](#)
- [Uveomeningoencephalitic Syndrome](#)