

GSTO2 rabbit monoclonal antibody

Catalog # H00119391-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human GSTO2 peptide using ARM Technology.
Immunogen	A synthetic peptide of human GSTO2 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human GSTO2 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — GSTO2

Entrez GeneID	119391
GeneBank Accession#	GSTO2
Gene Name	GSTO2
Gene Alias	bA127L20.1
Gene Description	glutathione S-transferase omega 2
Gene Ontology	Hyperlink
Gene Summary	The omega class glutathione transferases (GST; EC 2.5.1.18) have poor activity with common GST substrates, but exhibit novel glutathione-dependent thioltransferase, dehydroascorbate reductase, and monomethylarsonate reductase activities, and they modulate Ca(2+) release by ryanodine receptors (e.g., RYR1, MIM 180901) (Whitbread et al., 2003 [PubMed 12618591]). For background information on GSTs, see MIM 605482.[supplied by OMIM]
Other Designations	OTTHUMP00000020440 bA127L20.1 (novel glutathione-S-transferase) glutathione-S-transferase-like protein

Pathway

- [Drug metabolism - cytochrome P450](#)
- [Glutathione metabolism](#)
- [Metabolism of xenobiotics by cytochrome P450](#)

Disease

- [Alzheimer disease](#)
- [Amyotrophic lateral sclerosis](#)
- [Arsenic Poisoning](#)
- [Asthma](#)
- [Atherosclerosis](#)

- [Bile Duct Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cholangiocarcinoma](#)
- [Cognition](#)
- [Diabetes Mellitus](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Huntington disease](#)
- [Kidney Neoplasms](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Parkinson disease](#)
- [Pulmonary Disease](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Stomach Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Ureteral Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Urologic Neoplasms](#)