

## PPIL5 rabbit monoclonal antibody

Catalog # H00122769-K

Size 100 ug x up to 3

### Specification

<b>Product Description</b>	Rabbit monoclonal antibody raised against a human PPIL5 peptide using ARM Technology.
<b>Immunogen</b>	A synthetic peptide of human PPIL5 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
<b>Host</b>	Rabbit
<b>Library Construction</b>	Non-fusion antibody library from rabbit spleen ( <a href="#">ARM Technology</a> ).
<b>Expression</b>	Overexpression vector and transfection into 293H cell line.
<b>Reactivity</b>	Human
<b>Purification</b>	Protein A
<b>Isotype</b>	IgG
<b>Quality Control Testing</b>	Antibody reactive against human PPIL5 peptide by ELISA and mammalian transfected lysate by Western Blot.
<b>Storage Buffer</b>	In 1x PBS, pH 7.4
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Deliverable</b>	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
<b>Note</b>	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) <sub>2</sub> , IgG, scFv and different Fc and non-Fc conjugates per customer request.

### Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

## Gene Info — PPIL5

Entrez GeneID	<a href="#">122769</a>
GeneBank Accession#	<a href="#">PPIL5</a>
Gene Name	PPIL5
Gene Alias	4-1BBLRR, LRR-1, MGC20689
Gene Description	peptidylprolyl isomerase (cyclophilin)-like 5
Omim ID	<a href="#">609193</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	The protein encoded by this gene contains a leucine-rich repeat (LRR). It specifically interacts with TNFRSF9/4-1BB, a member of the tumor necrosis factor receptor (TNFR) superfamily. Overexpression of this gene suppresses the activation of NF-kappa B induced by TNFRSF9 or TNF receptor-associated factor 2 (TRAF2), which suggests that this protein is a negative regulator of TNFRSF9-mediated signaling cascades. At least three alternatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq]
Other Designations	4-1BB-mediated signaling molecule LRR-repeat protein 1 cyclophilin-like 5 peptidylprolyl isomerase (cyclophilin)-like 5, isoform 3