


Full-Length

HIST2H3C (Human) Recombinant Protein (P01)

Catalog # H00126961-P01 Size 25 ug, 10 ug

Applications



Specification	
Product Description	Human HIST2H3C full-length ORF (AAI53075.1, 1 a.a 136 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	MARTKQTARKSTGGKAPRKQLATKAARKSAPATGGVKKPHRYRPGTVALREIRRYQKSTELLIRKL PFQRLVREIAQDFKTDLRFQSSAVMALQEASEAYLVGLFEDTNLCAIHAKRVTIMPKDIQLARRIRG ERA
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	41.91
Interspecies Antigen Sequence	Rat (96)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.





Note

Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — HIST2H3C	
Entrez GenelD	<u>126961</u>
GeneBank Accession#	BC153074
Protein Accession#	AAI53075.1
Gene Name	HIST2H3C
Gene Alias	H3, H3.2, H3/M, H3F2, H3FM, MGC9629
Gene Description	histone cluster 2, H3c
Omim ID	<u>142780</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped ar ound a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H 1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA t ails; instead, they contain a palindromic termination element. This gene is found in a histone clust er on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated; this record represents the telomeric copy. [provided by RefSeq
Other Designations	H3 histone family, member M H3 histone, family 2 OTTHUMP0000014041 histone 2, H3c



Pathway

Systemic lupus erythematosus