


FCRLM2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00127943-T01


Size 100 uL

Applications



SDS-PAGE Gel

FCRLB transfected lysate.



Western Blot

Lane 1: FCRLB transfected lysate (34.43 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-FCRLM2 full-length
Host	Human
Theoretical MW (kDa)	34.43
Interspecies Antigen Sequence	Mouse (44); Rat (41)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-FCRLM2 antibody ([H00127943-B01](#)) by Western Blots.
SDS-PAGE Gel
FCRLB transfected lysate.
Western Blot
Lane 1: FCRLB transfected lysate (34.43 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — FCRLB

Entrez GeneID

[127943](#)

GeneBank Accession#

[BC067080.1](#)

Protein Accession#

[AAH67080.1](#)

Gene Name

FCRLB

Gene Alias

FCRL2, FCRLM2, FCRLY, FLJ31052, FREB-2, FcRY, RP11-474I16.6

Gene Description

Fc receptor-like B

Omim ID

[609251](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

FCRL2 belongs to the Fc receptor family. Fc receptors are involved in phagocytosis, antibody-dependent cell cytotoxicity, immediate hypersensitivity, and transcytosis of immunoglobulins via their ability to bind immunoglobulin (Ig) constant regions (Chikaev et al., 2005 [PubMed 15676285]).[supplied by OMIM]

Other Designations

Fc receptor like 2|Fc receptor-like and mucin-like 2|OTTHUMP00000158814

Disease

- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Coronary Disease](#)
- [Genetic Predisposition to Disease](#)
- [Myocardial Infarction](#)
- [Stroke](#)