

WDR16 rabbit monoclonal antibody

Catalog # H00146845-K Size 100 ug x up to 3

Specification

| | |
|--------------------------------|--|
| Product Description | Rabbit monoclonal antibody raised against a human WDR16 peptide using ARM Technology. |
| Immunogen | A synthetic peptide of human WDR16 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. |
| Host | Rabbit |
| Library Construction | Non-fusion antibody library from rabbit spleen (ARM Technology). |
| Expression | Overexpression vector and transfection into 293H cell line. |
| Reactivity | Human |
| Purification | Protein A |
| Isotype | IgG |
| Quality Control Testing | Antibody reactive against human WDR16 peptide by ELISA and mammalian transfected lysate by Western Blot. |
| Storage Buffer | In 1x PBS, pH 7.4 |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |
| Deliverable | Up to three rabbit IgG clones of 100 ug each will be delivered to customer. |
| Note | 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request. |

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — WDR16

| | |
|---------------------|---|
| Entrez GeneID | 146845 |
| GeneBank Accession# | WDR16 |
| Gene Name | WDR16 |
| Gene Alias | FLJ37528, WDRPUH |
| Gene Description | WD repeat domain 16 |
| Omim ID | 609804 |
| Gene Ontology | Hyperlink |
| Gene Summary | WD repeat-containing proteins, such as WDR16, play crucial roles in a wide range of physiologic functions, including signal transduction, RNA processing, remodeling the cytoskeleton, regulation of vesicular traffic, and cell division (Silva et al., 2005 [PubMed 15967112]).[supplied by OMIM] |
| Other Designations | WD40-repeat protein upregulated in HCC |